Fatty Esters

SEPB-005

PALMSURF

PALMSURF

SPECIFICATIONS FOR PALMSURF® FATTY ESTERS

Product	Physical Form	Acid Value (mg KOH/g)	Sap Value (mg KOH/g)	Iodine Value (gI_2/ 100g)	Colour			Packing Size
					Alpha	Gardner	Lovibond 5¼" Cell	
Palmsurf IPP Isopropyl Palmitate	Transparent Liquid	0.5 Max.	185-191	1 Max.	20 Max.			175 Kg Drum
Palmsurf IPM Isopropyl Myristate	Transparent Liquid	0.5 Max.	206-211	1 Max.	30 Max.			175 Kg Drum
Palmsurf 2EHP 2-Ethyl Hexyl Palmitate	Transparent Liquid	0.2 Max.	150-155	0.5 Max.	30 Max.			175 Kg Drum
Palmsurf 2EHS 2-Ethyl Hexyl Stearate	Transparent Liquid	0.2 Max.	144-152	1 Max.	30 Max.			175 Kg Drum
Palmsurf NBS N-Butyl Stearate	Transparent Liquid	0.2 Max.	170-180	0.5 Max.	30 Max.			175 Kg Drum
Palmsurf EGMS Ethylene Glycol Monostearate	Flakes	2 Max.	178-198	2 Max.			15Y 2.5R Max.	25 Kg Paper Bag
Palmsurf EGDS Ethylene Glycol Distearate	Flakes	6 Max.	188-200	2 Max.			15Y 2.5R Max.	25 Kg Paper Bag
Palmsurf GMS 40 Glyceryl Monostearate 40%	Off White Powder	2 Max.	165-176	2 Max.		3 Max.		25 Kg Paper Bag
Palmsurf GMS 40 SE Glyceryl Monostearate 40% - Self Emulsifying	Off White Powder	3 Max.	165-176	2 Max.		3 Max.		25 Kg Paper Bag
Palmsurf DMG 93-V Distilled Monoglycerides 93% Min	Off White Powder			2 Max.		3 Max.		25 Kg Paper Bag
Palmsurf Emulshp 60/40 Glyceryl Tricaprylate-Caprate	Pale Yellow Liquid	0.1 Max.	325-345	0.5 Max.	50 Max.			190 Kg Drum
Palmsurf PGPR Polyglycerol Polyricinoleate	Yellow to Amber Viscous Liquid	4 Max.				9 Max.		200 Kg/ 25 Kg Drum
Palmsurf PS 20 Polysorbate 20	Clear Yellow Liquid	2 Max.	38-50			5 Max.		200 Kg Drum
Palmsurf PS 60 Polysorbate 60	Yellow Soft Solid	2 Max.	43-55	5 Max.		6 Max.		200 Kg Drum
Palmsurf PS 80 Polysorbate 80	Clear Yellow Liquid	2 Max.	43-55	15-25		11 Max.		200 Kg Drum
Palmsurf SMO-G6 Sorbitan Monooleate	Yellow Liquid	5.5-7.5	149-160			6 Max.		190 Kg Drum

IOI GROUP
OLEOCHEMICALS

Your Ideal Global Partner
www.ioioleo.com

Stabilchem (M) Sdn. Bhd.
Esterchem (M) Sdn. Bhd.
2411, Lorong Perusahaan Satu, Prai Industrial Complex, 13600 Prai, Penang, Malaysia.
Phone : +604-398 4172 Fax : +604-390 7252 / 399 6462
Email : scmsales@ioioleo.com